







SECTION A-A SCALE 1 : 1

REFERENCE	DIMENSION	TOLERANCE	UNITS
E	1.982 [50.34]	±0.012 [0.30]	in [mm]
Т	2.050 [52.07]	±0.010 [0.25]	in [mm]
Н	0.587 [14.90]	±0.010 [0.25]	in [mm]
OAH	0.770 [19.56]	±0.015 [0.38]	in [mm]
OD	2.204 [55.98]	±0.015 [0.38]	in [mm]
PART WEIGHT	9.55	+ 0.35/-0.55	g
OPENING FORCE	3.50	+2.50/-2.00	lbf

Page 1 of 2	DISTRIBUTED BY:	REF NO.:	
		DWG31327	
DISCLAIMER	lipeline Packaging	DW001027	
THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING	DESCRIPTION:		
DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT THE PROPER	53-485 Black PP Plastic Dual Dispensing Flip Top Cap, 3 Hole, .300 Pour, w/ PS113 Liner		
CONTAINER FOR PRODUCT AND APPLICATION COMPATIBILITY.			

Uni-Foam[™] Technical Data Sheet

PS-113 (Pressure Sensitive)

Revision: PS-113-12022013

Product	PS-113 (Pressure Sensitive)							
Scope	One piece uniform polystyrene foam coated on one side with a specially formulated torque-activated adhesive. (Not approved for use with wet products.)							
Composition	Material	Standard	Metric					
	Polystyrene Foam Adhesive Layer	0.020" 0.002"	0.508 mm 0.051 mm					
FDA Status: 21 CFR 177	1210	Recommended	Storage and	Handling: Refer to website				
Drug Master File (DMF): 3948		EU / EP Reg.:						
GTR Oxygen: 2290 cc/m ² .Day (ASTM D3985)		MVTR: 5.85 g/m².Day (ASTM F1249)						
Print Location (if any):								
Selig materials are compliant with limitation of heavy metals in packaging per CONEG & EU 94/62/EC, article 11. MSDS's are not required as Selig is not a chemical manufacturer or distributor and our products are 'articles' intended for food packaging per 29 CFR 1910.1200 (HazCom).								
Page 2 of 2			DIST	RIBUTED BY:	REF NO.: DWG31327			
<u>DISCLAIMER</u> THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT THE PROPER CONTAINER FOR PRODUCT AND APPLICATION COMPATIBILITY.		ROPER 53	DESCRIPTION: 53-485 Black PP Plastic Dual Dispensing Flip Top Cap, 3 Hole, .300 Pour, w/ PS113 Liner					