

STATIC TORQUE RECOMMENDATION
23-40in-lbs
THIS REQUIREMENT MAY VARY DEPENDING
UPON BOTTLE MATERIAL, NECK FINISH, AND
CAPPING EQUIPMENT

UPON BOTTLE MATERIAL, NECK FINISH, AND CAPPING EQUIPMENT

<u>THREAD DETAIL:</u> 6 THREADS PER INCH, 0.167" PITCH			
REFERENCE	TOLERANCE	UNITS	DIMENSION
Е	±0.015 [0.38]	in [mm]	2.138 [54.30]
Т	±0.015 [0.38]	in [mm]	2.235 [56.77]
Н	±0.010 [0.25]	in [mm]	0.400 [10.16]
OAH	±0.012 [0.30]	in [mm]	0.489 [12.42]
OD	±0.015 [0.38]	in [mm]	2.353 [59.76]
PART WEIGHT	± 1.50	g	6.00

Page 1 of 2

DISCLAIMER

THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT THE PROPER CONTAINER FOR PRODUCT AND APPLICATION COMPATIBILITY.

DISTRIBUTED BY:

pipeline Packaging

REF NO.:

DWG31798

DESCRIPTION:


58-400 PP Plastic Matte Top, Ribbed Sides Cap with F217 Liner

PRODUCT DATA SHEET

F-217[®]

- F-217® is a coextruded primary liner consisting of a foamed Low-Density Polyethylene (LDPE) core with solid Low-Density Polyethylene (LDPE) layers on both sides.
- · Does not promote microbial growth.

Typical Product Attributes



Page 2 of 2

DISTRIBUTED BY:

REF NO.:

DWG31798

DISCLAIMER

THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT THE PROPER CONTAINER FOR PRODUCT AND APPLICATION COMPATIBILITY.

DESCRIPTION:

58-400 PP Plastic Matte Top, Ribbed Sides Cap with F217 Liner

ipeline Packaging