

REFERENCE	DIMENSION	TOLERANCE	UNITS
ФΤ	3.486 [88.54]	±0.017 [0.43]	in [mm]
ØE	3.374 [85.70]	±0.017 [0.43]	in [mm]
ØΙ	3.230 [82.04]	±0.015 [0.38]	in [mm]
OAH	2.520 [64.01]	±0.015 [0.38]	in [mm]
Н	0.520 [13.21]	±0.015 [0.38]	in [mm]
• ØoD	3.506 [89.05]	±0.017 [0.43]	in [mm]
PART WEIGHT	32.90	±2.50	g
VOLUME	10.48 [310.0]	REFERENCE	fl oz [cc]
1			
THREAD DETAIL 5 THREADS INFORMATION: PER INCH	0.200" [5.08] PITCH 450°		FULL DEPTH THREADS

Page 1 of 3

<u>DISCLAIMER</u>
THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT THE PROPER CONTAINER FOR PRODUCT AND APPLICATION COMPATIBILITY.

DISTRIBUTED BY:


ipeline Packaging


REF NO.:


DWG10326

DESCRIPTION:

8 oz PP Straight Sided Jar, 89-400, Regular Wall







Page 2 of 3

<u>DISCLAIMER</u>
THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT THE PROPER CONTAINER FOR PRODUCT AND APPLICATION COMPATIBILITY.

DISTRIBUTED BY:

ipeline Packaging

REF NO.:

DWG10326

DESCRIPTION:

8 oz PP Straight Sided Jar, 89-400, Regular Wall

