

PRODUCT DATA SHEET PEBF 35P

- PEBF 35 P is a pulp backed primary liner with a facing with a construction of white paper and clear barrier film with Polyethylene (PE) as the product contact surface.
- Polyvinylidene Chloride (PVdC) free.
- Provides leak resistance, reseal and oxygen and moisture barrier.

Typical Product Attributes

		SI (µm)	US (Mils)
Pulp Board White Paper		889,0 63,5	35.0 2.5
Barrier Film		50,8	2.0
Thickness Tolerance		± 10%	± 10%
Minimum Width Width Tolerance		25,4 mm ± 1.6 mm	1.0 in ± 0.0625 in
Properties		± 1,0 mm	± 0.0025 III
Oxygen Transmission (O ₂ TR)	0.1 cc / 100 in ² / 24 h @ 23°C, 0% RH		
Water Vapor Transmission (WVTR)	0.5 g / 100 in ² / 24 h @ 100°F, 90% RH		
Regulatory Compliance			
FDA Compliance	 21 CFR 177.1520 Olefin polymers. 21 CFR 177.1210 Closures with sealing gaskets for food containers. 21 CFR 176.180 Components of paper and paperboard in contact with dry foods. 21 CFR 176.170 Components of paper and paperboard in contact with aqueous and fatty foods. 		
Other Compliances	USFDA Food Allergen Guidelines		
Safety Data Sheet (SDS) Statement	Safety Data Sheets (SDS) are not required for articles as defined in 29 CFR 1910.1200, the OSHA Hazard Communication Standard (HazCom). This product is an article as defined by HazCom and is not considered to be, or to contain, a hazardous chemical based on evaluations made by our supplier.		

Page 2 of 2		
	DISTRIBUTED BY:	REF NO.:
	\bigcirc	DWG31328
DISCLAIMER	ipeline Packaging	DW031320
THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING	DESCRIPTION:	
DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT THE PROPER CONTAINER FOR PRODUCT AND APPLICATION COMPATIBILITY.	48 mm, 48-400 White Metal Screw	/ Cap, w/ Pulp/Kraft Liner